Health Certificates RIKEN BioResource Center

RIKEN BioResource Center adopts the sentinel mouse program, which is specialized for the micro isolator cage system. A sentinel mouse cage containing five mice is laid on a microisolator cage rack and small parts of used cage sheets from all cages of the rack are collected into the sentinel mouse cage every two weeks. Two mice from a sentinel cage are subjected to the examination bimonthly for our examination.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immuno-deficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top of row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

Class	Microorganisms
A	<i>C.piliforme</i> , Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), <i>M.pulmonis</i> , Sendai virus (HVJ)
В	C.rodentium, C.kutscheri, F.rodentium ('CAR bacillus') P.pneumotropica, Salmonella spp., H.bilis, H.hepaticus, Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms
С	S.aureus, P.aeruginosa, P.muria
D	Pneumonia virus of mice (PVM), Theiler's mouse encephalomyelitis virus (TMEV/GDVII), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse polyoma virus (Poly), Reovirus type 3 (Reo3), Mouse adenovirus (MAV), Mouse rotavirus (EDIM), Mouse cytomegalovirus (MCMV), Lactate dehydrogenase elevating virus (LDHEV), Mouse norovirus (MNV)

Fumio Ike, Ph.D. Experimental Animal Division RIKEN BioResource Center 3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN

Phone: :81-298-5264 FAX: +81-298-36-9010 E-Mail: ike@brc.riken.go.jp

		Facility: RIKE	N BRC Ex	N BRC Experimental Animal Division Date: May 21, 2012							Examination No: 12106		
Class	Pathogens	Methods		Animals: BALB/c−nu/+ ♀									
Class	Patriogeris	Wethods	4-A-A	4-A-B	4-A-C	4-A-D	4-A-E	4-A-F	4-A-G	4-A-H	4-A-I	4-A-J	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ł	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Hantaan virus	Serology	0/1	0/1	0/1	0/1	0/1_	0/1	0/1	0/1	0/1	0/1	
Α	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
1		Serology	0/1	0/1	0/1	0/1_	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ŀ	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ļ	CAR bacillus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010 地斯生

		Facility: RIKE	N BRC Ex	perimenta	l Animal D	ivision	Date: May	/ 21, 2012		Exa	ımination N	No: 12106	
Class	Pathogens	Methods	Animals: BALB/c−nu/+ ♀										
Olass	1 danogono		4-A-K	4-A-L	4-B-A	4-B-B	4-B-C	4-B-D	4-B-E	4-B-F	4-B-G	4-B-H	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
l a	Hantaan virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycopiasnia puinionis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ŀ	Dermatophytes	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
В	CAR bacillus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
"	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

		Facility: RIKE	N BRC Experimental Animal Division Date: May 21, 2012								Examination No: 12106		
01	Detheren	Methods	Animals: BALB/c−nu/+ ♀										
Class	Pathogens	Wethods	4-B-I	4-B-J	4-B-K	4-B-L	4-C-A	4-C-B	4-C-C	4-C-D	4-C-E	4-C-F	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
1	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ŀ	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
١ ,	Hantaan virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
		Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
1	Mycoplasma pulmonis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
В	CAR bacillus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Ectoparasites	Microscopy	0/1	0/1_	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

		Facility: RIKE	N BRC Ex	perimenta	I Animal D			/ 21, 2012		Exa	amination I	No: 12106
Class	Pathogens	Methods		Animals: BALB/c-nu/+ 우								
Class	1 autogens	Wicthous	4-C-G	4-C-H	4-C-I	4-C-J	4-C-K	4-C-L				
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
A	Hantaan virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Mycopiasina pulitionis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Dermatophytes	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1]		
lв	CAR bacillus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
"	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
		Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1				
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1				
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1				

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010