Health Certificates RIKEN BioResource Center

RIKEN BioResource Center adopts the sentinel mouse program, which is specialized for the micro isolator cage system. A sentinel mouse cage containing five mice is laid on a microisolator cage rack and small parts of used cage sheets from all cages of the rack are collected into the sentinel mouse cage every two weeks. Two mice from a sentinel cage are subjected to the examination bimonthly for our examination.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immuno-deficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top of row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

Class	Microorganisms
A	<i>C.piliforme</i> , Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), <i>M.pulmonis</i> , Sendai virus (HVJ)
В	C.rodentium, C.kutscheri, F.rodentium ('CAR bacillus') P.pneumotropica, Salmonella spp., H.bilis, H.hepaticus, Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms
С	S.aureus, P.aeruginosa, P.muria
D	Pneumonia virus of mice (PVM), Theiler's mouse encephalomyelitis virus (TMEV/GDVII), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse polyoma virus (Poly), Reovirus type 3 (Reo3), Mouse adenovirus (MAV), Mouse rotavirus (EDIM), Mouse cytomegalovirus (MCMV), Lactate dehydrogenase elevating virus (LDHEV), Mouse norovirus (MNV)

Fumio Ike, Ph.D. Experimental Animal Division RIKEN BioResource Center 3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN

Phone: :81-298-5264 FAX: +81-298-36-9010 E-Mail: ike@brc.riken.go.jp

		N BRC Experimental Animal Division Date: July 25, 2016							Examination No: 16204					
Class	Pathogens	Mathada	Animals: BALB/c-nu/+ 우											
Class		Methods	4-A-A	4-A-B	4-A-C	4-A-D	4-A-E	4-A-F	4-A-G	4-A-H	4-A-I	4-A-J		
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
ł	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
i	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
A	Hantaan virus	Serology												
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
İ	Myoonloomo nulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Mycoplasma pulmonis	Cultivation	0/1	0/1	0/1	0/1	0/1	_0/1	0/1	0/1	0/1	0/1		
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Dermatophytes	Cultivation												
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
ł	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1 ,	0/1	0/1		
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Center

Experimental Animal Division

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

她柳生

Fumio Ike, Ph.D.

		Facility: RIKE	N BRC Experimental Animal Division Date: July 25, 2016							Examination No: 16204			
Class	Pathogens	Methods	Animals: BALB/c-nu/+ 우										
Class	ratilogens	Wiethous	4-A-K	4-A-L	4-B-A	4-B-B	4-B-C	4-B-D	4-B-E	4-B-F	4-B-G	4-B-H	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
İ	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	тиусоріазта риптотіз	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	_0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
1	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
"	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
l	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010 诞柳生

Fumio Ike, Ph.D.

		Facility: RIKE	N BRC Experimental Animal Division Date: July 25, 2016							Examination No: 16204			
Class	Pathogens	Methods	Animals: BALB/c-nu/+ ♀										
Class		ivietrious	vietrious 4-B-I 4-B-J 4-B-K 4-B-L 4-C-A 4-C-B 4-C-	4-C-C	4-C-D	4-C-E	4-C-F						
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
l	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
l a	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	I	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
_A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
"	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
Gross lesion			0/1	0/1	*	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Center

Experimental Animal Division

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

Fumio Ike, Ph.D.

^{*}Subcutaneous nodule, splenomegaly

		Facility: RIKE	N BRC Experimental Animal Division Date: July 25, 2016							Exa	amination	No: 16204	
Class	Pathogens	Methods	Animals: BALB/c-nu/+ ♀										
Class		IVICTIOUS	4-C-G	4-C-H	4-C-I	4-C-J	4-C-K	4-C-L					
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1			_		
A	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Iwycopiasina pulinonis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1					
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1					
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1_	0/1	0/1	0/1					
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1					
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1					
	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1					
	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1					
1	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1					
}	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1					
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1					
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1					
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1					
Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1					

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

Fumio Ike, Ph.D.