Health Monitoring Report

RIKEN BioResource Research Center

RIKEN BioResource Research Center adopts the sentinel mouse program, which is specialized for the micro isolator cage system. A sentinel mouse cage containing four mice is laid on a microisolator cage rack and small parts of dirty beddings from all cages of the rack are collected into the sentinel mouse cage every two weeks. One mouse from a sentinel cage is subjected to the examination bimonthly for our examination.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immuno-deficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

Class	Microorganisms
A	C.piliforme, Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), M.pulmonis, Sendai virus (HVJ)
В	C.kutscheri, C.rodentium, F.rodentium ("CAR bacillus") P.pneumotropica, Salmonella spp., H.bilis, H.hepaticus, Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms
С	P.aeruginosa, S.aureus, P.murina
D	Lactate dehydrogenase elevating virus (LDHEV), Mouse adenovirus (MAV type 1 & 2), Mouse cytomegalovirus (MCMV), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse norovirus (MNV), Mouse polyoma virus (Poly), Mouse rotavirus (EDIM), Pneumonia virus of mice (PVM), Reovirus type 3 (Reo3), Theiler's mouse encephalomyelitis virus (TMEV/GDVII)

Fumio Ike, Ph.D.

Experimental Animal Division

RIKEN BioResource Research Center

3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN

Phone: +81-298-5264 FAX: +81-298-36-9010 E-Mail: <u>ike@brc.riken.jp</u>

		Facility: RIKE	N BRC Ex	perimental	Animal Di	vision	Testdate:	Septembe	r 25, 2018	Exa	amination I	No: 18365	
Class	Pathogen(s)	Method(s)	Sentinel Animal(s) : BALB/cA-nu/+ 우										
Class		Method(s)	4-A-A	4-A-B	4-A-C	4-A-D	4-A-E	4-A-F	4-A-G	4-A-H	4-A-I	4-A-J	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
Α	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	_ 0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
ĺ	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	_ 0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Ectoparasites	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Research Center

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

		Facility: RIKE	N BRC EX	perimental	Animal Div	vision	Testdate:	Septembe	<u>r 25, 2018</u>	Exa	amination N	<u> 18365</u>	
Class	Pathogen(s)	Method(s)	Sentinel Animal(s) : BALB/cA-nu/+ 우										
Ciass	ratilogen(s)	Metriod(8)	4-A-K	4-A-L	4-B-A	4-B-B	4-B-C	4-B-D	4-B-E	4-B-F	4-B-G	4-B-H	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
1	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
		Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
<u> </u>	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
"	Ectoparasites	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
]	Intestinal protozoa	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
l	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
Gross lesion			0/1	0/1	0/1	0/1	**	0/1	0/1	0/1	0/1	0/1	

^{*} Formerly known as 'CAR bacillus'

** Lung adenoma

RIKEN BioResource Research Center

Experimental Animal Division

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

		Facility: RIKE	EN BRC Experimental Animal Division Testdate: September 25, 2018								Examination No: 18365		
Class	Pathogen(s)	Method(s)	Sentinel Animal(s) : BALB/cA-nu/+ \$										
Class	r atriogeri(s)	Wethou(s)	4-B-I	4-B-J	4-B-K	4-B-L	4-C-A	4-C-B	4-C-C	4-C-D	4-C-E	4-C-F	
İ	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Hantaan virus	Serology											
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	_ 0/1	
	· · · · · · · · · · · · · · · · · · ·	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
]	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
}	Intestinal protozoa	Microscopy		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	_ 0/1	0/1	0/1	
	Helicobacter hepaticus	PCR ·	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
<u>C</u>	Pseudomonas aeruginosa	Cultivation	0/1 0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Research Center Experimental Animal Division

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

		Facility: RIKE	N BRC Experimental Animal Division Testdate: Septe						r 25, 2018	E	kamination	No: 18365
Class	Pathogen(s)	Method(s)	Sentinel Animal(s): BALB/cA-nu/+									
Class		INIGH IOU(S)	4-C-G	4-C-H	4-C-I	4-C-J	4-C-K	4-C-L				
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
l a	Hantaan virus	Serology										
^	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
	тигусоргазтна рантотів І	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
	Dermatophytes	Cultivation										
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1				
ו	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1				
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1				
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1				
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1				
Gross lesion			0/1	0/1	0/1	0/1	0/1	0/1				

^{*} Formerly known as 'CAR bacillus'

RIKEN BioResource Research Center

Experimental Animal Division

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010