Health Monitoring Report

RIKEN BioResource Research Center

RIKEN BioResource Research Center adopts the sentinel mouse program, which is specialized for the micro isolator cage system. A sentinel mouse cage containing four mice is laid on a microisolator cage rack and small parts of dirty beddings from all cages of the rack are collected into the sentinel mouse cage every two weeks. One mouse from a sentinel cage is subjected to the examination bimonthly for our examination.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immuno-deficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

Class	Microorganisms
A	C.piliforme, Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), M.pulmonis, Sendai virus (HVJ)
В	C.kutscheri, C.rodentium, F.rodentium ("CAR bacillus") P.pneumotropica, Salmonella spp., H.bilis, H.hepaticus, Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms
С	P.aeruginosa, S.aureus, P.murina
D	Lactate dehydrogenase elevating virus (LDHEV), Mouse adenovirus (MAV type 1 & 2), Mouse cytomegalovirus (MCMV), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse norovirus (MNV), Mouse polyoma virus (Poly), Mouse rotavirus (EDIM), Pneumonia virus of mice (PVM), Reovirus type 3 (Reo3), Theiler's mouse encephalomyelitis virus (TMEV/GDVII)

Fumio Ike, Ph.D.

Experimental Animal Division

RIKEN BioResource Research Center

3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN

Phone: +81-298-5264 FAX: +81-298-36-9010 E-Mail: <u>ike@brc.riken.jp</u>

HEALTH REPORT

Examination No: 18411 Facility: RIKEN BRC Experimental Animal Division Testdate: October 15, 2018 Sentinel Animals: BALB/cA-nu/+ 9 Class **Pathogens** Methods 3-A-A 3-A-B 3-A-C 3-A-D 3-A-E 3-A-F 3-A-G 3-A-H 3-A-I 3-A-J Mouse hepatitis virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Sendai virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Clostridium piliforme Serology 0/1 0/1 0/1 0/1 0/1 0/1 Hantaan virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 Ectromelia virus Lymphocytic choriomeningitis virus | Serology 0/1 Serology Mycoplasma pulmonis 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 A/B Salmonella spp. 0/1 Citrobacter rodentium Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Corvnebacterium kutscheri 0/1 0/1 Pasteurella pneumotropica Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Dermatophytes Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Filobacterium rodentium* 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 **Ectoparasites** Microscopy 0/1 0/1 0/1 0/1 0/1 Microscopy 0/1 0/1 0/1 0/1 Intestinal protozoa 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Microscopy 0/1 0/1 0/1 Pinworms 0/1 0/1 0/1 0/1 0/1 0/1 PCR 0/1 Helicobacter bilis 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 **PCR** 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Helicobacter hepaticus 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pseudomonas aeruginosa 0/1 0/1 0/1

Gross lesion

RIKEN BioResource Research Center

0/1

Experimental Animal Division

0/1

0/1

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

0/1

0/1

0/1

0/1

Fumio Ike, Ph.D.

0/1

^{*} Formerly known as "CAR bacillus"

HEALTH REPORT

Facility: RIKEN BRC Experimental Animal Division Testdate: October 15, 2018 Examination No: 18411 Sentinel Animals: BALB/cA-nu/+ \$ **Pathogens** Methods Class 3-A-K 3-A-L 3-B-A 3-B-B | 3-B-C | 3-B-D | 3-B-E 3-B-F 3-B-G 3-B-H Mouse hepatitis virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Sendai virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Clostridium piliforme Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Hantaan virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectromelia virus 0/1 0/1 0/1 Serology 0/1 Lymphocytic choriomeningitis virus |Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Mycoplasma pulmonis 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 A/B | Salmonella spp. Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Citrobacter rodentium 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Corvnebacterium kutscheri 0/1 0/1 Pasteurella pneumotropica Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 Dermatophytes 0/1 0/1 0/1 0/1 0/1 Filobacterium rodentium* Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectoparasites Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Intestinal protozoa Microscopy 0/1 Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pinworms **PCR** 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Helicobacter bilis 0/1 0/1 0/1 Helicobacter hepaticus **PCR** 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pseudomonas aeruginosa Cultivation 0/1 0/1 0/1

0/1

0/1

Gross lesion

RIKEN BioResource Research Center

0/1

0/1

0/1

0/1

0/1

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

Fumio Ike, Ph.D.

0/1

0/1

^{*} Formerly known as "CAR bacillus"

0/1

0/1

HEALTH REPORT

Facility: RIKEN BRC Experimental Animal Division Testdate: October 15, 2018 Examination No: 18411 Sentinel Animals: BALB/cA-nu/+ 우 **Pathogens** Methods Class 3-B-I 3-B-J 3-B-K 3-B-L 3-C-A 3-C-B 3-C-C 3-C-D 3-C-E 3-C-F 0/1 Mouse hepatitis virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 Sendai virus 0/1 0/1 0/1 0/1 0/1 0/1 Clostridium piliforme Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Hantaan virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectromelia virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Lymphocytic choriomeningitis virus | Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Mycoplasma pulmonis Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 A/B Salmonella spp. 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 Citrobacter rodentium Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Corvnebacterium kutscheri Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pasteurella pneumotropica Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Dermatophytes Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Filobacterium rodentium* 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectoparasites Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Intestinal protozoa Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pinworms Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 PCR Helicobacter bilis 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 PCR Helicobacter hepaticus 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pseudomonas aeruginosa Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1

Gross lesion

RIKEN BioResource Research Center

0/1

Experimental Animal Division

0/1

0/1

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

0/1

0/1

0/1

0/1

Fumio Ike, Ph.D.

^{*} Formerly known as "CAR bacillus"

0/1

0/1

HEALTH REPORT

Facility: RIKEN BRC Experimental Animal Division Testdate: October 15. 2018 Examination No: 18411 Sentinel Animals: BALB/cA-nu/+ 우 Methods Class **Pathogens** 3-C-G 3-C-H 3-C-I 3-C-J 3-C-K 3-C-L 3-D-A 3-D-B 3-D-C 3-D-D 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 Mouse hepatitis virus 0/1 0/10/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Sendai virus 0/1 0/1 0/1 0/1 0/1 0/1 Clostridium piliforme Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 Hantaan virus 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectromelia virus 0/1 0/1 0/1 Lymphocytic choriomeningitis virus |Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 Mycoplasma pulmonis 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 A/B Salmonella spp. Cultivation 0/1 0/1 Citrobacter rodentium Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Corvnebacterium kutscheri Cultivation 0/1 0/1 0/1 Pasteurella pneumotropica Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation Dermatophytes 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Filobacterium rodentium* Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Microscopy Ectoparasites 0/1 0/1 0/1 0/1 Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 Intestinal protozoa 0/1 Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pinworms 0/1 0/1 PCR 0/1 0/1 0/1 0/1 Helicobacter bilis 0/1 0/1 0/1 0/1 0/1 **PCR** 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Helicobacter hepaticus 0/1 0/1 Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pseudomonas aeruginosa 0/1 0/1

Gross lesion

RIKEN BioResource Research Center

0/1

Experimental Animal Division

0/1

0/1

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

0/1

0/1

Fumio Ike, Ph.D.

0/1

0/1

^{*} Formerly known as "CAR bacillus"

HEALTH REPORT

Facility: RIKEN BRC Experimental Animal Division Testdate: October 15, 2018 Examination No: 18411 Sentinel Animals: BALB/cA-nu/+ 오 **Pathogens** Class Methods 3-D-E 3-D-F 3-D-G 3-D-H 3-D-I 3-D-J 3-D-K 3-D-L Serology Mouse hepatitis virus 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Sendai virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Clostridium piliforme Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Hantaan virus 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 Ectromelia virus Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Lymphocytic choriomeningitis virus | Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Mycoplasma pulmonis Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation 0/1 0/1 0/1 A/B | Salmonella spp. 0/1 0/1 0/1 0/1 0/1 Citrobacter rodentium Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation Corvnebacterium kutscheri 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pasteurella pneumotropica Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Cultivation Dermatophytes 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Filobacterium rodentium* Serology 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Ectoparasites Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Microscopy Intestinal protozoa 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 **Pinworms** Microscopy 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 PCR Helicobacter bilis 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 PCR Helicobacter hepaticus 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Pseudomonas aeruginosa Cultivation 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 Gross lesion 0/1

RIKEN BioResource Research Center

0/1

Experimental Animal Division

0/1

3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

0/1

0/1

0/1

0/1

Fumio Ike, Ph.D.

^{*} Formerly known as "CAR bacillus"