Health Monitoring Report RIKEN BioResource Research Center

RIKEN BioResource Research Center adopts the sentinel mouse program, which is specialized for the micro isolator cage system. A sentinel mouse cage containing four mice is laid on a microisolator cage rack and small parts of dirty beddings from all cages of the rack are collected into the sentinel mouse cage every two weeks. One mouse from a sentinel cage is subjected to the examination bimonthly for our examination.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immuno-deficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

Class	Microorganisms
A	<i>C.piliforme</i> , Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), <i>M.pulmonis</i> , Sendai virus (HVJ)
В	<i>C.kutscheri</i> , <i>C.rodentium</i> , <i>F.rodentium</i> ("CAR bacillus") <i>P.pneumotropica</i> , <i>Salmonella</i> spp., <i>H.bilis</i> , <i>H.hepaticus</i> , Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms
С	P.aeruginosa, S.aureus, P.murina
D	Lactate dehydrogenase elevating virus (LDHEV), Mouse adenovirus (MAV type 1 & 2), Mouse cytomegalovirus (MCMV), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse norovirus (MNV), Mouse polyoma virus (Poly), Mouse rotavirus (EDIM), Pneumonia virus of mice (PVM), Reovirus type 3 (Reo3), Theiler's mouse encephalomyelitis virus (TMEV/GDVII)

Fumio Ike, Ph.D. Experimental Animal Division RIKEN BioResource Research Center 3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN Phone: +81-298-5264 FAX: +81-298-36-9010 E-Mail: <u>ike@brc.riken.jp</u>

	Facility: RIKEN BF	RC Experimen	tal Anima	I Division			ecember				nination N	lo: 18571	
Class	Pathogens	Methods	Sentinel Animals: BALB/cA-nu/+ 우										
Class	Faillogens	Wiethous	3-A-A	3-A-B	3-A-C	3-A-D	3-A-E	3-A-F	3-A-G	3-A-H	0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1	3-A-J	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Hantaan virus	Serology							-				
	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation											
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1	
D	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	÷	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1	
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

* Formerly known as "CAR bacillus"

<u>RIKEN BioResource Research Center</u>

.

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

议 柄阳

Fumio Ike, Ph.D.

	Facility: RIKEN BF	RC Experimen	tal Anima	I Division			ecember				nination N	lo: 18571
Class	Pathogens	Methods			S	entinel A	nimals:	BALB/c/	4-nu/+ -	የ		
Class	Faillogens	Wellious	3-A-K	3-A-L	3-B-A	3-B-B	3-B-C	3-B-D	3-B-E	3-B-F	mination N 3-B-G 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1	3-B-H
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
Α	Hantaan virus	Serology										
	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	_0/1	0/1	0/1	0/1	0/1	0/1
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
A/B	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
•	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Dermatophytes	Cultivation										
В	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
D	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		0/1
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1

* Formerly known as "CAR bacillus"

<u>RIKEN BioResource Research Center</u>

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

椰生 2º

Fumio Ike, Ph.D.

	Facility: RIKEN BF	RC Experimen	tal Anima	l Division	Те	estdate: D	ecember	17, 2018		Exan	nination N	lo: 18571		
Class	Pathogens	Methods	Sentinel Animals: BALB/cA-nu/+ 9											
01033	T athogens	Wethous	3-B-J	3-B-K	3-B-L	3-C-A	3-C-B	3-C-C	3-C-D	3-C-E	3-C-F	3-C-G		
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
Α	Hantaan virus	Serology												
~	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Dermatophytes	Cultivation			:									
в	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
Б	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1		

* Formerly known as "CAR bacillus"

<u>RIKEN BioResource Research Center</u>

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

it

Fumio Ike, Ph.D.

	Facility: RIKEN BF										lo: 18571		
Class	s Pathogens	Methods	Sentinel Animals: BALB/cA-nu/+ 우										
01855		Methods	3-C-H	3-C-I	3-C-J	3-C-K	3-C-L	3-D-A	3-D-B	3-D-C	3-D-D	3-D-E	
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A	Hantaan virus	Serology		•									
	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Dermatophytes	Cultivation											
в	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
D	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
С	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0/1	

* Formerly known as "CAR bacillus"

<u>RIKEN BioResource Research Center</u> Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

进 20

Fumio Ike, Ph.D.

	Facility: RIKEN BF	RC Experimen	tal Anima	l Division	Te	stdate: D	ecember	17, 2018		Exan	nination N	No: 18571
Class	Pathogens	Methods	lethods Sentinel Animals: BALB/cA-nu/+ 9									
01833	r athogens	Methods	3-D-F	3-D-G	3-D-H	3-D-I	3-D-J	3-D-K	3-D-L			
	Mouse hepatitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Sendai virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Clostridium piliforme	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
Δ	Hantaan virus	Serology										
~	Ectromelia virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Lymphocytic choriomeningitis virus	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Mycoplasma pulmonis	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
A E		Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
A/B	Salmonella spp.	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Citrobacter rodentium	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Corynebacterium kutscheri	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Pasteurella pneumotropica	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Dermatophytes	Cultivation										
B	Filobacterium rodentium*	Serology	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
D	Ectoparasites	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Intestinal protozoa	Microscopy	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Pinworms	Microscopy	0/1	0/1	0/1	0/1	0/1	`0/1	0/1			
	Helicobacter bilis	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Helicobacter hepaticus	PCR	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
C	Pseudomonas aeruginosa	Cultivation	0/1	0/1	0/1	0/1	0/1	0/1	0/1			
	Gross lesion		0/1	0/1	0/1	0/1	0/1	0/1	0/1			

* Formerly known as "CAR bacillus"

<u>RIKEN BioResource Research Center</u>

Experimental Animal Division 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN Phone: +81-29-836-5264 FAX: +81-29-836-9010

it

Fumio Ike, Ph.D.

.