

# Health Monitoring Report

## RIKEN BioResource Research Center

RIKEN BioResource Research Center adopts the sentinel mouse program, which is specialized for the microisolator cage system. A sentinel mouse cage containing four mice is laid on a microisolator cage rack and small parts of dirty beddings from all cages of the rack are collected into the sentinel mouse cage every two weeks. One mouse from a sentinel cage is subjected to the examination at regular intervals.

Our items to be examined are classified into four classes shown in the table below. All sentinel mice are tested under the class A and B. Sentinel mice kept in the room for immunodeficient mice are screened on the class C as well. The class D contains a weak pathogen (MNV) or the certain pathogens that are believed not to exist in the Japanese laboratory mouse colonies hence mice are submitted to class D examination by request at recipient's charge.

Top row of health report indicates the index code of the sentinel animals tested. First two letters mean the room number, and the last letter means the rack code.

For example;

If the index code is 3-1-A, the sentinel mouse tested is from the room "3-1" rack "A".

| Class | Microorganisms                                                                                                                                                                                                                                                                                                                                           |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A     | <i>C. piliforme</i> , Ectromelia virus, Hantaan virus, Lymphocytic choriomeningitis virus (LCMV), Mouse hepatitis virus (MHV), <i>M. pulmonis</i> , Sendai virus (HVJ)                                                                                                                                                                                   |
| B     | <i>C. kutscheri</i> , <i>C. rodentium</i> , <i>F. rodentium</i> , <i>H. bilis</i> , <i>H. hepaticus</i> , <i>R. heylii</i> , <i>R. pneumotropicus</i> , <i>Salmonella spp.</i> , Dermatophytes, Ectoparasites, Intestinal protozoa, Pinworms                                                                                                             |
| C     | <i>P. aeruginosa</i> , <i>S. aureus</i> , <i>P. murina</i>                                                                                                                                                                                                                                                                                               |
| D     | Lactate dehydrogenase elevating virus (LDHEV), Mouse adenovirus (MAV type 1 & 2), Mouse cytomegalovirus (MCMV), Mouse minute virus (MMV), Mouse parvovirus (MPV), Mouse norovirus (MNV), Mouse polyoma virus (Poly), Mouse rotavirus (EDIM), Pneumonia virus of mice (PVM), Reovirus type 3 (Reo3), Theiler's mouse encephalomyelitis virus (TMEV/GDVII) |

Keisuke Sato, Ph.D. DJCLAM  
Special Fixed Term Contract Researcher, Veterinarian  
Experimental Animal Division  
RIKEN BioResource Research Center  
3-1-1 Koyadai, Tsukuba, Ibaraki 305-0074 JAPAN  
FAX: +81-29-836-9010  
E-Mail: animal.brc@riken.jp

Oct 2024

# HEALTH REPORT

1/2

Facility: RIKEN BRC Experimental Animal Division

Test date: April 7, 2025

Examination No: 25006

| Class | Pathogens                                                      | Methods     | Sentinel Animals: BALB/cA-nu/+ ♀ |       |       |       |       |       |       |       |       |       |       |       |
|-------|----------------------------------------------------------------|-------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|       |                                                                |             | 3-A-A                            | 3-A-B | 3-A-C | 3-A-D | 3-A-E | 3-A-F | 3-A-G | 3-A-H | 3-A-I | 3-A-J | 3-A-K | 3-A-L |
| A     | Mouse hepatitis virus                                          | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Sendai virus                                                   | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Clostridium piliforme</i>                                   | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Hantaan virus                                                  | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Ectromelia virus                                               | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Lymphocytic choriomeningitis virus                             | Serology*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Mycoplasma pulmonis</i>                                     | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
| A/B   |                                                                | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Salmonella</i> spp.                                         | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
| B     | <i>Citrobacter rodentium</i>                                   | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Corynebacterium kutscheri</i>                               | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Rodentibacter</i> spp. ( <i>Pasteurella pneumotropica</i> ) | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Dermatophytes                                                  | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Filobacterium rodentium</i>                                 | Serology    | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Ectoparasites                                                  | Microscopy  | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Intestinal protozoa                                            | Microscopy  | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Pinworms                                                       | Microscopy  | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Helicobacter bilis</i>                                      | PCR         | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | <i>Helicobacter hepaticus</i>                                  | PCR         | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
| C     | <i>Pseudomonas aeruginosa</i>                                  | Cultivation | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Gross lesion                                                   |             | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | **    | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |

\*\* : Swelling of lymph nodes

\* : Tested by The Jackson Laboratory Japan, Inc.

Reported on April 25, 2025 at 16:00 JST

**RIKEN BioResource Research Center**  
 Experimental Animal Division  
 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN  
 Phone: +81-29-836-5264 FAX: +81-29-836-9010

佐藤 佳祐  
 Keisuke Sato, DJCLAM, Ph.D.

# HEALTH REPORT

2/2

Facility: RIKEN BRC Experimental Animal Division

Test date: April 7, 2025

Examination No: 25006

| Class | Pathogens                                      | Methods | Sentinel Animals: BALB/cA-nu/+ ♀ |       |       |       |       |       |       |       |       |       |       |       |
|-------|------------------------------------------------|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|       |                                                |         | 3-A-A                            | 3-A-B | 3-A-C | 3-A-D | 3-A-E | 3-A-F | 3-A-G | 3-A-H | 3-A-I | 3-A-J | 3-A-K | 3-A-L |
| D     | Mouse Adenovirus (Type 1 & 2)                  | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse cytomegalovirus (MCMV)                   | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse minute virus (MMV)                       | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse parvovirus (MPV)                         | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse norovirus (MNV)                          | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse rotavirus (EDIM)                         | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Pneumonia virus of mice (PVM)                  | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Reovirus type 3 (Reo 3)                        | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Theiler's mouse encephalomyelitis virus (TMEV) | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Mouse polyomavirus                             | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |
|       | Lactate dehydrogenase elevating virus          | MFIA*   | 0/1                              | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   | 0/1   |

\* : Tested by The Jackson Laboratory Japan, Inc.

Reported on April 25, 2025 at 16:00 JST

**RIKEN BioResource Research Center**  
 Experimental Animal Division  
 3-1-1 Koyadai, Tsukuba, Ibaraki, 305-0074, JAPAN  
 Phone: +81-29-836-5264 FAX: +81-29-836-9010

佐藤佳祐  
 Keisuke Sato, DJCLAM, Ph.D.